



JBL STUDIO SYSTEMS

US RETAIL PRICE LIST

January, 2018

JBL 7 Series Scalable Studio Monitor Systems

Dealer Authorization Required

More information from JBL Professional at www.jblpro.com



Model Name	Description	LIST PRICE (US)
LSR705i	5-inch externally amplified studio monitor. Compact form-factor with top, rear, and bottom mounting points. - Recommended Power Amplifier: Crown DCi or DCi "N" amplifier with 300 watts per channel into 8 ohms. - Requires HARMAN DSP:JBL Intonato 24 Monitor Management OR Crown DCi "N" version Amplifier with DSP. - Can be amplified with single amp channel or bi-amplified; - Must not be advertised individually.	\$ 687.00
LSR708i	8-inch externally amplified studio monitor. Compact form-factor with top rear and bottom mounting points - Recommended Power Amplifier: Crown DCi or DCi "N" amplifier with 300 watts per channel into 8 ohms. - Requires HARMAN DSP:JBL Intonato 24 Monitor Management OR Crown DCi "N" version Amplifier with DSP. - Can be amplified with single amp channel or bi-amplified; - Must not be advertised individually.	\$ 1,500.00
<u>NEW</u> 705P (powered)	5-inch Bi-Amplified Master Reference Studio Monitor, with 725G five-inch low frequency transducer, Image Control Waveguide. Dual Class-D Power Amplifiers with 250 Watts for LF and 250 Watts for HF. Digital and Analog Inputs. Integrated Room and User EQ.	\$ 1,249.00
<u>NEW</u> 708P (Powered)	8-inch Bi-Amplified Master Reference Studio Monitor, with 728G eight-inch low-frequency transducer with Differential Drive, and Image Control Waveguide. Dual Class-D Power Amplifiers with 250 Watts for LF and 250 Watts for HF. Digital and Analog Inputs. Integrated Room and User EQ.	\$ 2,499.00
M2	15-inch externally amplified studio monitor. Can be used in conjunction with 7 Series Studio Monitors - Requires Crown Power Amplifier with 1250 watts per channel into 8 ohms. - Requires HARMAN DSP:JBL Intonato 24 Monitor Management OR Crown DCi "N" version Amplifier with DSP. - Additional Authorization Required. Must not be advertised individually.	\$ 6,000.00
LSR6312SP	12-inch powered studio 260 W subwoofer.	\$ 2,080.00
S2S-EX	15-inch passive studio subwoofer 22 Hz, Power handling: 3200 W peak	\$ 3,000.00
SUB18	18-inch, passive studio subwoofer with sub 18Hz performance. Power handling: 4000 W peak	\$ 3,250.00

JBL MONITOR SYSTEM PROCESSORS AND CONTROLLERS

More information at www.jblpro.com

Model Name	Description	LIST PRICE (US)
<u>NEW</u> Intonato 24	JBL Intonato 24 Monitor Management Tuning System. Ideal for use with JBL M2, 7 Series studio monitors. Provides automated calibration and control of stereo, surround and immersive audio monitoring systems. 24 speaker outputs, 24 analog and 24 AES inputs. 256 BLU Link Network Inputs Flexible routing and monitoring configurations, store and recall of custom user profiles. 2-U rack mount chassis. Near-silent fan cooling. Calibration microphone included. Supplied Macintosh Windows, and tablet control software.	\$ 3,750.00
<u>NEW</u> Intonato DC	Desk Top Controller for use with JBL Intonato 24. Includes Master Volume Control, DIM, Bass Management, and Talk Back controls and individual Speaker Solo and Mute keys. Dedicated keys allow instant recall of 30 user-defined scenes. Dual LED displays and dedicated keys allow instant recall of user-created monitoring configurations. Compact desk-top, console-top form factor. Powered over ethernet.	\$ 999.00
BSSBLU-DAN	BLU Link/ Dante Bridge - Allows Intonato 24 to accept Dante Format audio. 1U Rack Mount Chassis	\$ 1,100.00
PASSIVE VOLUME CONTROLS		
NPATCH BLK	Nanno Patch compact 2 channel volume control with rotary volume attenuation control, Mute button; two TRS/XLR combination inputs (balanced and unbalanced); two 1/4" balanced outputs; one Mini jack I/O. Desktop metal enclosure. Passive analog design - no power required.	\$ 69.00
MPATCH2	M-Patch 2 Allows selective monitoring of up to two stereo input sources via two stereo outputs. With volume control, aux level control, STEREO/AUX input selector, A / B output destination selector; Balanced XLR and 1/4" , unbalanced RCA IN, 1/8" IN; 4 ea. Balanced XLR OUT. Included Rack-Mount Adaptors	\$ 199.00

CROWN POWER AMPLIFIERS

More information from Crown Audio at www.crownaudio.com





Model Name	Description	LIST PRICE (US)
DCi"N" Network version multi-channel amplifiers include DSP and allow networking of audio via BLU Link protocol.		
DCi 2 300N	2 channel power amplifier. 300 watts/channel. BLU link audio network. Internal DSP. 48 kHz FS.	\$ 1,998.00
DCi 4 300N	4 channel power amplifier. 300 watts/channel. BLU link audio network. Internal DSP. 48 kHz FS.	\$ 3,084.00
DCi 8 300N	8 channel power amplifier. 300 watts/channel. BLU link audio network. Internal DSP. 48 kHz FS.	\$ 5,500.00
DCi 2 1250N	2 channel power amplifier. 1250 watts/channel. BLU link audio network. Internal DSP. 48 kHz FS.	\$ 3,698.00
DCi 4 1250N	4 channel power amplifier. 1250 watts/channel. BLU link audio network. Internal DSP. 48 kHz FS.	\$ 5,598.00
DCi 2 2400N	2 channel power amplifier. 2400 watts/channel. BLU link audio network. Internal DSP. 48 kHz FS.	\$ 5,598.00
DCi multi-channel amps without DSP		
DCi 2 300	2 channel power amplifier. 300 watts/channel for LSR708i or LSR05i	\$ 1,350.00
DCi 4 300	4 channel power amplifier. 300 watts/channel for LSR708i or LSR05i	\$ 2,198.00
DCi 8 300	8 channel power amplifier. 300 watts/channel for LSR708i or LSR05i	\$ 4,398.00
DCi 2 1250	2 channel power amplifier. 1250 watts/channel for M2 And S2S-EX	\$ 2,998.00
DCi 4 1250	4 channel power amplifier. 1250 watts/channel for M2 And S2S-EX	\$ 4,648.00
CT Series amps (without DSP)		
CT8150	Eight channel, 125W @ 4/8Ω convection-cooled power amp. Ideal for multi-channel applications requiring only moderate SPL.	\$ 2,442.35
iTech HD High Power Amplifiers with DSP for M2 and SUB18		
IT 4X3500HD	4 channel power amplifier. 3500 watts/channel	\$ 12,350.15
IT5000HD	2 channel power amplifier. 3500 watts/channel	\$ 6,137.51
IT12000HD	2 channel power amplifier 6000 watts/channel	\$ 9,203.57

MOUNTING HARDWARE (see last page)



Available from: Adaptive Technologies Group
1635 E. Burnette Street, Signal Hill, California, USA 90755
Telephone: +1 (562) 273-4239 www.adapttechgroup.com

Notes: Ethernet Switches, Routers, and accessories available from other suppliers

2 Channel Installed Systems



Speakers and Power Amplifier only*		
2-Channel 5-inch System		
Component	Qty	US List
LSR705i	2	\$ 1,374.00
DCi 2 300N	1	\$ 1,998.00
System Price Total		\$ 3,372.00
		
2-Channel 8-inch System		
Component	Qty	US List
LSR708i	2	\$ 3,000.00
DCi 2 300N	1	\$ 1,998.00
System Price Total		\$ 4,998.00
		

*Required/Not Included: Speaker Wire, Audio Cable. Available from 3rd party suppliers



Complete Systems including Subwoofers and Intonato 24 Monitor Management and Tuning System			
2-Channel 5-inch System			
Component	Qty	US List	
LSR705i	2	\$ 1,374.00	\$ -
DCi 2 300	1	\$ 1,350.00	\$ -
Intonato 24	1	\$ 3,750.00	\$ -
LSR6312SP	1	\$ 2,080.00	\$ -
Intonato DC	1	\$ 999.00	\$ -
System Price Total		\$ 9,553.00	
			
2-Channel 8-inch System			
Component	Qty	US List	
LSR708i	2	\$ 3,000.00	\$ -
DCi 2 300	1	\$ 1,350.00	\$ -
Intonato 24	1	\$ 3,750.00	\$ -
LSR6312SP	2	\$ 4,160.00	\$ -
Intonato DC	1	\$ 999.00	\$ -
System Price Total		\$ 13,259.00	
			

**Required/Not Included: Network Switch, Network Cable, Speaker Wire, Audio Cable. Available from 3rd party suppliers.

5.1 Surround Systems



Speakers and Power Amplifier only*		
5.1 / 5-inch System		
Component	Qty	US List
LSR705i	5	\$ 3,435.00
DCi 8 300N	1	\$ 5,500.00
LSR6312SP	1	\$ 2,080.00
System Price Total		\$ 11,015.00
		
5.1 / 8-inch System		
Component	Qty	US List
LSR708i	5	\$ 7,500.00
DCi 8 300N	1	\$ 5,500.00
LSR6312SP	2	\$ 4,160.00
System Price Total		\$ 17,160.00
		

*Required/Not Included: Speaker Wire, Audio Cable. Available from 3rd party suppliers



Complete Systems including Monitor Management and Tuning System		
5.1 / 5-inch System		
Component	Qty	US List
LSR705i	5	\$ 3,435.00
DCi 8 300	1	\$ 4,398.00
Intonato 24	1	\$ 3,750.00
LSR6312SP	1	\$ 2,080.00
<u>Intonato DC</u>	<u>1</u>	\$ 999.00
System Price Total		\$ 14,662.00
		
5.1 / 8-inch System		
Component	Qty	US List
LSR708i	5	\$ 7,500.00
DCi 8 300	1	\$ 4,398.00
Intonato 24	1	\$ 3,750.00
LSR6312SP	2	\$ 4,160.00
<u>Intonato DC</u>	<u>1</u>	\$ 999.00
System Price Total		\$ 20,807.00
		

**Required/Not Included: Network Switch, Network Cable, Speaker Wire, Audio Cable. Available from 3rd party suppliers.

7.1 Surround Sound Systems

Speakers and Power Amplifier only*			
7.1 / 5-inch System			
Component	Qty	US List	
LSR705i	7	\$ 4,809.00	\$ -
DCi 8 300N	1	\$ 5,500.00	\$ -
LSR6312SP	1	<u>\$ 2,080.00</u>	<u>\$ -</u>
System Price Total		\$ 12,389.00	
			
7.1 / 8-inch System			
Component	Qty	US List	
LSR708i	7	\$ 10,500.00	\$ -
DCi 8 300N	1	\$ 5,500.00	\$ -
LSR6312SP	2	<u>\$ 4,160.00</u>	<u>\$ -</u>
System Price Total		\$ 20,160.00	
			

*Required/Not Included: Speaker Wire, Audio Cable. Available from 3rd party suppliers

Complete Systems including Monitor Management and Tuning System*			
7.1 / 5-inch System			
Component	Qty	US List	
LSR705i	7	\$ 4,809.00	
DCi 8 300	1	\$ 4,398.00	
Intonato 24	1	\$ 3,750.00	
LSR6312SP	2	\$ 4,160.00	
Intonato DC	<u>1</u>	<u>\$ 1,249.00</u>	
System Price Total		\$ 18,366.00	
			
7.1 / 8-inch System			
Component	Qty	US List	
LSR708i	7	\$ 10,500.00	
DCi 8 300	1	\$ 4,398.00	
Intonato 24	1	\$ 3,750.00	
LSR6312SP	2	\$ 4,160.00	
Intonato DC	<u>1</u>	<u>\$ 999.00</u>	
System Price Total		\$ 23,807.00	
			


**Required/Not Included: Network Switch, Network Cable, Speaker Wire, Audio Cable. Available from 3rd party suppliers.

Immersive Audio Systems

Complete Immersive Audio System including Monitor Management and Tuning System

7.1.4 / 8-Inch LCR, 5-Inch Surrounds

Component	Qty	List
LSR708P	3	\$ 7,497.00
LSR705i	8	\$ 5,496.00
DCi 8 300N	1	\$ 5,500.00
LSR6312SP	2	\$ 4,160.00
intonato 24	1	\$ 3,698.00
intonato DC-M	1	\$ 999.00
System Price Total		\$ 27,350.00




*Required/Not Included: Speaker Wire, Audio Cable. Available from 3rd party suppliers

Complete Immersive Audio System including Monitor Management and Tuning System

9.1.4 / 8-Inch LCR, 5-Inch Surrounds

Component	Qty	List
LSR708i	3	\$ 4,500.00
LSR705i	10	\$ 6,870.00
DCi 8 300N	2	\$ 11,000.00
S2S-EX	2	\$ 8,320.00
DCi 2 1250N	1	\$ 3,698.00
Intonato 24	1	\$ 3,750.00
Intonato DC	1	\$ 999.00
System Price Total		\$ 39,137.00



**Required/Not Included: Network Switch, Network Cable, Speaker Wire, Audio Cable. Available from 3rd party suppliers.

Mounting Hardware

MOUNTING HARDWARE		
Available from: Adaptive Technologies Group 1635 E. Burnette Street, Signal Hill, California, USA 90755 Telephone: +1 (562) 273-4239 www.adapttechgroup.com		
Speaker Model	ATG p/n	Info
LSR 705i 2 Hole Mounting pattern on top, bottom & rear 9 lbs	Wall Mount	
	MM-008-BT	<i>sold in pairs</i>
	Ceiling Mount	
	MM-008-CM-BT	<i>1/2" diameter with fixed 7.9" length, 13 thread pitch</i>
	Extended Ceiling Mount	
	PIPE-500-CPL PIPE-514-513-PR PIPE-500NPS-XX MP-500NPT-TA MP-500NPT-CP	<i>Coupling to extend MM-008-CM-BT arm Pipe reducer to extend MM-008-CM-BT arm 500NPS pipe / available in different lengths Unistrut Channel Adapter Ceiling Plate</i>
LSR 705P Top and bottom mounting 17.6 lbs	Wall Mount	
	MM-705-WM	<i>Pan and tilt</i>
	Ceiling Mount	
	UB-705-JBL	<i>Yoke mount (pan and tilt)</i>
	PIPE-500NPS-XX	<i>500NPS pipe / available in different lengths</i>
	UB-3RDX-60 MP-500NPT-TA	<i>optional / 3 axes of rotation adapter optional / 1/2" pipe adapter</i>
LSR 708i 4 Hole Mounting pattern on top, bottom & rear 25.2 lbs	Wall Mount	
	MM-024-BT MM-060	<i>Up to 60 lbs pan and tilt mount / back mounted Precise Tilt Adjustment Feature, bottom mounting</i>
	Ceiling Mount	
	MM-3RDX-18 PIPE-500NPS-XX MP-500NPT-TA MP-500NPT-CP	<i>3 Axes ceiling speaker bracket 500NPS pipe / available in different lengths Unistrut Channel Adapter Ceiling Plate</i>
	Wall Mount	
	MM-060 MM-024-BT	<i>Precise Tilt Adjustment Feature Up to 60 lbs pan and tilt mount / back mounted</i>
LSR 708P Top and bottom mounting 37 lbs	Ceiling Mount	
	MM-3RDX-18 PIPE-500NPS-XX MP-500NPT-TA MP-500NPT-CP	<i>3 Axes ceiling speaker bracket 500NPS pipe / available in different lengths Unistrut Channel Adapter Ceiling Plate</i>